

## Heated Sample Gas Filter AHF-22

Gas analysis is a complex field. The sample gas to be analysed must be extracted and handled under quite diverse conditions to yield representative and reliable analysis results.

One requirement may be that the sample gas be particle-free and extracted and transported hot.

The AHF-22 heated particle filter is particularly suited for this type of application. The filter element can quickly be changed without interruption and without tools.

Simple, sturdy construction

Easy installation

Tool-less filter element change

No disassembly required to replace filter


Controlled or self-regulating heater

Calibrating gas connection optional

No cold spots



## Dimensions



## Technical Data

### AHF-22 Heated Analysis Filter

Dead volume	4.9 - 6.1 cu. in
Material - filter housing	1.4571
Material - gasket	Viton (perfluorelastomer upon request)
Insulation	filled resin
Heat output	400 W
Protection rating	IP 40
Weight	14.1 lb
Operating pressure max.*	230 psig
Temperatures	self-regulating heater: approx. 356°F adjustable heater: max. 392°F
Temperature sensor	self-regulating heater: contact 284 °F adjustable heater: Pt100
Ambient temperature	32...158°F

## Ordering instructions

## Filter\*

Item no.	Model	Description	Voltage
41222294	AHF-22-S	self-regulating	115-230 V A, 50/60 Hz
41222295	AHF-22-S-K	self-regulating, calibrating gas connection	115-230 V A, 50/60 H
41222296	AHF-22-115-R	adjustable**	115 V AC, 50/60 Hz
41222299	AHF-22-230-R	adjustable**	230 V AC, 50/60 Hz
41222297	AHF-22-115-R-K	adjustable, calibrating gas connection**	115 V AC, 50/60 Hz
41222298	AHF-22-230-R-K	adjustable, calibrating gas connection**	230 V AC, 50/60 Hz
41222092	BRS	Temperature controller	230 V AC, 50/60 Hz
41222192	BRS	Temperature controller	115 V AC, 50/60 Hz

\* no filter element

\*\* no temperature controller

## Filter elements

Item no.	Material	Filter fineness	Packing unit
46222010	Sintered metal incl. gaskets (Viton)	5 µm	1 pieces
46222011	Stainless steel mesh star-pleated incl. gaskets (Viton)	10 µm	1 pieces
46222026	Ceramic incl. gaskets (Viton)	3 µm	1 pieces
46222012	Set of gaskets for filter element and filter (Viton)		1 pieces
46222024	Set of gaskets for filter element and filter (perfluorelastomer)		1 pieces